Library, N.W. Bldg JUN 1 0 1963

CRPL-F 225 PART B

FOR OFFICIAL USE

Reference book not to be taken from the library.

### PART B SOLAR - GEOPHYSICAL DATA

ISSUED MAY 1963

U. S. DEPARTMENT OF COMMERCE NATIONAL BUREAU OF STANDARDS CENTRAL RADIO PROPAGATION LABORATORY BOULDER, COLORADO



### SOLAR-GEOPHYSICAL DATA

### CONTENTS

I	DAILY SOLAI	R INDICES
	(a) (b)	Relative Sunspot Numbers and 2800 Mc Solar Flux - March-April 1963 Graph of Sunspot Cycle
II	SOLAR CENT	ERS OF ACTIVITY
	(a) (b) (c-h)	Calcium Plage and Sunspot Regions - April 1963 Magnetic Classifications of Sunspots (Mt. Wilson) - April 1963 Final Coronal Line Emission Indices - October, November, December, 1962 - January, February, March 1963 Provisional Coronal Line Emission Indices - April 1963
III	SOLAR FLARE	3S
	(a-i) (j) (k-o) (p) (q)	Optical Observations - April 1963 Flare Patrol Observations - April 1963 Optical Observations - January 1963 Flare Patrol Observations - January 1963 Ionospheric Effects (SWF-SEA-SCNA-SPA-Bursts) - March 1963
IV	SOLAR RADIO	) WAVES
	(a) (b) (c) (d) (e-f) (g-h) (i)	2800 Mc - Outstanding Occurrences (ARO-Ottawa) - April 1963 221 Mc - Interferometric Occurrences (Boeing-Seattle) - April 1963 108 Mc - Outstanding Occurrences (Boulder) - April 1963 108 Mc - Outstanding Occurrences (Boulder) - Graphs - April 16, 18, 19, 1963 50-320 Mc - Spectrum Observations (Fort Davis) - January, February, March 1963 7.6 - 41 Mc - Spectrum Observations (HAO Boulder) - April 1963 169 Mc - Interferometric Occurrences (Nançay) - April 1963
	(j-n)	9.1 cm - Spectroheliograms (Stanford) - April 1963
V	COSMIC RAY	INDICES
	(a) (b)	Climax Neutron Monitor - March 1963 Deep River Neutron Monitor - March 1963
VI	GEOMAGNET	IC ACTIVITY INDICES
	(a) (b)	C, Kp, Ap and Selected Quiet and Disturbed Days - March 1963 Chart of Kp by Solar Rotations - 1963
'II	RADIO PROP	AGATION QUALITY INDICES
	(a)	CRPL Quality Figures and Forecasts - North Atlantic and North Pacific - March 1963
	(b)	Graphs Comparing Forecasts and Observed Quality - North Atlantic and North Pacific - March 1963
	(c-d)	Graphs of Useful Frequency Ranges - March 1963

### ALERT PERIODS AND SPECIAL WORLD INTERVALS VIII

(a) Alerts and SWI - April 1963




The text describing the contents of Part B was republished in November 1962. A revision was made December 1962, and an addenda January 1963.

Mar. 1963	American Relative Sunspot Numbers R <sub>A</sub> ,
1	0
2	0
3	4
4	12
5	15
6 7 8 9 10	21 20 19 19
11	25
12	24
13	21
14	3
15	8
16	11
17	12
18	13
19	12
20	13
21	13
22	11
23	10
24	12
25	11
26 27 28 29 30 31	11 0 15 15 18
Mean:	12.8

Apr. 1963	Zürich Provisional Relative Sunspot Numbers R <sub>Z</sub>	Daily Values Solar Flux at 2800 Mc, Ottawa, Canada Flux
1	15	73
2	25	74
3	28	74
4	17	70
5	23	72
6	50	78
7	50	80
8	64	81
9	55	82
10	53	82
11	48	88
12	63	93
13	56	89
14	45	87
15	50	88
16	50	88
17	46	87
18	40	88
19	36	84
20	19	78
21 22 23 24 25	10 0 0 0	74 72 71 73 72
26	0	72
27	0	75
28	7	78
29	16	78
30	26	80
Mean:	29.7	79.4

COMMERCE - STANDARDS - BOULDER



### CALCIUM PLAGE AND SUNSPOT REGIONS

APRIL 1963

CMP	L AT.	MCMATH	RETURN			CALCIUM PLA					UNSPOT	
APRIL 1963		PLAGE NUMBER	OF REGION	CMP VA AREA	LUES	HISTORY	AGE (ROTA- TIONS)	DATE FIRST SEEN	DURA- TION (DAYS)	AREA	COUNT	HISTORY
01.4 01.6 02.9 05.5	\$07 \$21 \$22 \$26	6754 6753 6761 6762	New	1100 700 400 200	3.5	ℓ — ℓ  ℓ — ℓ  b ∧ d  b ∧ d	1 3 1	3/29 3/27 4/1 4/4	~ 10 ~ 12 1	440	3	b / f
05.7 05.9 05.9 07.2 09.8 10.1	N12 N02 N14 S10 N14	6758 6756 6763 6759 6770 6768	Now 6724 New 5724	2600 400 2600 (300) 300	3.5 3 (2) 2	ℓ	1 4,5 1 4,5 1	3/31 3/30 4/4 3/30 4/12 4/11	7 15 9 15 3	70 (40) 150 570	(2) 7 13	b
10.2 10.4 11.8 14.8 14.9	\$14 \$01 N10 \$12 \$19	6765 6764 6772 6766 6767	+ New New New O 734	300 200 (300) 2000 1600	1 1.5 (1.5) 3.5 3	$ \begin{array}{c c} \ell & d \\ \ell & d \\ b & \ell \\ \ell & r \\ \ell & \ell \end{array} $	1 1 2	4/6 4/6 4/14 4/3 4/8	4 5 5 14 14	480 70	6	ℓ — v ℓ — í
15.5 16.8 15.0 13.3 19.9	\$01 \$02 \$09 N15 \$12	6771 6773 6734 6769 6735	+ * Met/ 6730 *	300 200 (500) 2100 (100)	2.5 1 (2.5) 2.5 (2)	b	1 1 2 4 1	4/12 4/15 4/24 4/11 4/24	2 1 1 14 1			
21.0 21.7 23.3 23.3 23.9	N15 S11 S12 N09 N07	6776 6774 6780 6775 6779	+ + * New +	200 (200) 300 300 400	2 (1) 1.5 2	b	ī 1 1 1	4/20 4/17 4/22 4/16 4/22	3 2 1 13 2			
24.2 24.5 24.9 25.7 26.9	N20 N06 N04 N05 N19	6777 6783 6788 6778 6736	* + + New *	(300) 300 (200) 700 200	(1.5) 1.5 (1.5) 1.5 2	<ul> <li>P</li></ul>	1 1 1 1	4/20 4/23 4/28 4/20 4/26	1 2 v 1 v 10 1			
28.2 20.2 30.1	N04 S04 S04	6781 6782 6793	+ 5754 *	(700) 600 (200)	(2) 1.5 (2.5)	p	1 2 1	4/21 4/22 5/3	v 7 1			

<sup>\*</sup> New - but small and ephemeral \*\* New - in position of 6731 \*\*\* 6715 and 6722

<sup>+</sup> New and ephemeral

APRIL 1963

Apr. 1963	Time Meas.	Lat.	Mer. Dist.	Туре
1	No Obs.			
2	No Obs.			
3	1915	S04	W34	αf
4	No Obs.			
5	No Obs.			
6	1810	S05 N02 N15 N01	W74 W14 E10 E47	αf βf βγ αp

<sup>\*</sup> No further observations for the month due to renovation of the 150' Solar Tower.

# FINAL CORONAL LINE EMISSION INDICES

OCTOBER 1962

R	0.10.10	at				
	12 22 45 45 45	19a 01 8 x x	17 22 21 29	27 20 20 28 28	24 27 28 40	20 14 14 11
R <sub>6</sub>	22 22 28 28 28 28 28 28 28 28 28 28 28 2	15a 8 x x	10 13 14 23	17 24 12 11	20 11 14 13	13 11 12 18 9
$^{\rm G}_1$	54 36 133 74	24 24 8 x x	97 109 62 63 50	78 69 74 16	23 20 57 65	76 57 63 80
95	42 42 42 42 45 45 45 45 45 45 45 45 45 45 45 45 45	17 14 16 ×	62 45 72 73 73 73	26 46 28 23	22 th 22 th 22 th 23 th 23 th 23 th 23 th 25 th	23 × 45 23 × 45
R	25 34 31 22 12	25a 14 12 x	6 10 17 28	56 445 56 835 56 835	66 28 80 80 80	12 26 <b>x</b> 27 27 57
R6	20 23 10	20a 11 10 x x	15	10 20 30 30 30 30 30 30 30 30 30 30 30 30 30	30 118 122 133	11 22 <b>x</b> 21 29 25
$^{G}_{1}$	21 27 21 27 23	39 22 <b>x x</b>	50 102 78 59	44 91 119 56 114	32 14 13 31	20 23 <b>x</b> 61 25 96
95	112	20 11 12 *	22 35 46 46 37	43 60 43 60 43 60 40 60	15 9 7 17	10 12 × 27 20 37
H <sub>1</sub>	× × × % × ×	15 24 31 x	44 2 8 <b>x</b> 8 4 4 9 5 6 4 9 9 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	36 80 29 18 16a	49 11 × × × 6	8 16 23 21 31 43
ж <sub>е</sub>	23 x x	10 19 22 19	24 18 35 34	30 42 23 11	% × × 4	6 11 15 16 22 26
$^{G}_{1}$	66 11 14 20 x	55 31 17 14 22	\$~800 \$~800	36 157 99 30 15	∞0 x x <del>7</del>	36 24 31 19 12
95	46 11 9	24 17 10 10	52 22 53 54 54	20 61 43 15	, , , , , , , , , , , , , , , , , , ,	22 11 16 8 8
R	14 17a x	12 18 22 x 22	45 56 575 56	235 28 34 26a	18 18 44 × × 4	122 118 222 222 222
R6	13 14a x	10 17 17 17	24 26 47 35	26 29 22 19 22a	47 12 x x 16	11 10 15 19 18
$G_1$	× × × ×	27 28 22 42 42	52.7	84 21 79 32 12	22 × × 22 × × 205	137 90 38 56 72 121
95	8888 8888 8888 8888	16 19 20 21 36	70 70 70 70 70 70 70	45 17 17 17 6	11 9 × × 5	65 th 33 th 35 th
1962	10 M + W	9 8 8 7 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	112	16 17 18 20 20	21 22 23 24 25	228827
	G G G G R R R R R R R R R R R R R R R R	69 92 x x x x + 40 66 x x x x 14 21 20 25 38 54 30 35 62 14a 17a 11 14 20a 30a 15 27 20 22 75 135 x x x x x x x x 19 27 20 22 775 135 x x x x x x x x x x x 15 25 10 12 42 74	G6         G1         R6         R1         G6         X         X         N         R         <	66         91         R6         R1         R1<	6         92         x         x         4         R	%         %

a = index computed from low weight data

ine emission a = index

\* = yellow line emission

x = no observations

COMMERCE - STANSAROS - BOULDER

a = index computed from low weight data

\* = yellow line emission

x = no observations

# FINAL CORONAL LINE EMISSION INDICES

NOVEMBER 1962

CMF	1962	コセカット	9 8 10	1177	16 17 18 20	21 22 23 24 25	26 27 28 29 30
)N(	99	4.8 3.8 2.1 2.1 2.0	31 36 22 32 32 32	% × 21 21 21 21 21 21 21 21 21 21 21 21 21	13 12 16 24	46 45 * x x	21 20 30 ×
North East quadrant observed 7 days earli	G	23 23 23 23 23 23 23 23 23 23 23 23 23 2	664 77 77 78 78 78 78	\$ \$22.3 ×	100	67 57 x x	× 232×
st quadrant days earlier)	R 6	21101019	26 10 6 18 24	21 × 12 × 12 × 12 × 12 × 12 × 12 × 12 ×	172	Z x x x x	*******
ant rlier)	R	10 18 19 10	41 18 20 32	37 49 24 30	20 17 12	1. 2. x x x x	10 x x 7 t
South (observed	95	8118	15 24 23 45 45	62 63 63 70	45 L 8 S 8 S 8 S 8 S 8 S 8 S 8 S 8 S 8 S 8 S	14 18 x x	× 113 113 119 ×
Eas 7	Gl	40 41 18 12	119 29 448 77	x 119 105 73	25.00	19 26 x x	17 × 45 × ×
it wuadrant days earlier)	R6	19 16 20 14 17	25 16 10 22 24	25 31 37 30	33 12 24 9	∞ <b>×</b> × × ×	122 x x x x x x x x x x x x x x x x x x
nt lier)	RJ	27 18 25 19	29 22 28	67 67 67 67	54 46 12 16	12 × × × ×	15 17 17
Sou (obse	95	20 17 7	16 28 27 ×	x x 39 29 4,1	x W V V vo	19 20 19 19	22
South West observed 7	$_{1}^{G_{1}}$	38 24 10 12	28 44 51 ×	× × 092	x 0.4 9 x	23	6 11 10 14
South West Quadrant beerved 7 days later)	R6	22 22 7 15	11 10 10 10 10 10 10 10 10 10 10 10 10 1	× × 2,200	×8× × + 6	14 × × 27	12 10 12 12 12
int iter)	R <sub>1</sub>	59 32 21 21	17 19 ×××	7 4 4 X X	68 15 10	16 28 28	15 12 19 16
North W	95	28 21 9 7	% × % ×	x x x 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	32 47 114 118	25 60 65 21 21	57 17 17 17 17 17
North West	$G_{1}$	42 27 11 9 24	55 × × × × × ×	××355	x 2 9 5 2 x	443 844 128 34	27 18 18 40
days later)	ж 9	11 4 8	cwxxx	30 × × 25	× 62 × 2 0	12 x x x x 27	0000000
ant ater)	R <sub>1</sub>	13 12 6 11 10	00 X X X	32 6x x	40 12 14	20 × × × 9	13 14 13

# FINAL CORONAL LINE EMISSION INDICES

DECEMBER 1962

rant  later	R <sub>1</sub>	36 22a 22 ×	38 61 x	10 x	13 × 21 41	10 10 10	10 × × 0 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
Quad ays	R6	19 14a 12 x	25 25 25 25 25	×	0 × 8 × 9 × 9	×11 × × × × × × × × × × × × × × × × × ×	x x x x x x x x x x x x x x x x x x x
North West observed 7 a	G <sub>1</sub>	52 23 4 x 4	28 17 25 25 25	11 26 ×	31 57 48 48	31 16 14 16 20	26 × × 20 20 20 20 20 20 20 20 20 20 20 20 20
Nor (obse	g	22 40 15 22	14 13 16 27:	x 0 x 1/2 x	21 36 34 34	113	× × 25 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
nt ter)	R <sub>1</sub>	20 16a ×	28 16 21 24 ×	×11 ×25 ×	12 12 28 28	16 16 10 20	25 × × × 25 × × × 24 × 24
quadrant days later)	<sup>R</sup> 6	12 12 13 x x	2/2 116 20 x	× C × L ×	10 26 × 5 × 5	17 17 17	x x 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
est 7	G <sub>1</sub>	12 22 16 18	22 23 64 50	×0, ×8, ×	9× ۲۲× ه	11 8 8 8	x x 22 22 22 22 22 22 22 22 22 22 22 22
South W (observed	95	10 9 5	17 16 26 25	× 0 × 0 ×	4 X 0 X N	ろうりゅう	x x x 2 x x 2 3 3 3 3 3 3 3 3 3 3 3 3 3
it ier)	E.	46 15 18 25	64 35	2 x 44 22 16	18a 16 x 28	25 16 18 × ×	8 × 5 × × × × × × × × × × × × × × × × ×
t uadrant days earlier)	9	29 123 183	× × × 42 Cl	22 22 13	12a 10 x x 19	8 7 7 X X	0 × 0 × 0 ×
Eas 7	G <sub>1</sub>	19 19 19 10	772822	16888	11 5 8 17	∞ <b>0</b> ∞ ∩ ×	× × × × ×
South (observed	95	122 132 13	35 25 25 25 25 25 25 25 25 25 25 25 25 25	444 30 190 120	7 x x 2 l l	Sunu x	~ × × × 0 ×
nt Lier)	r <sub>1</sub>	60 20 14 12	×××°°°°	288 24 25 20 20	20a 16 x x 45	30 31 x x	2 × 5 × 5 ×
ast quadrant 7 days earlier,	13g	2 × × × × × × × × × × × × × × × × × × ×	4××××	25 19 10 17	12a 10 × × × 2	24 25 11 x	v×××××
. 1.1	5	72 144 20 24 28	81 40 39 64 128	103 56 42 24 28	12 39 39 92	104 87 34 15	10 24 34 x
Morth (observed	95	880 112 112	32 32 33 84	63 24 20 29 19	11 8 x 25 44	46 32 27 10	2 × 5 × 5 ×
CMF Dec	1962	7 4 7 1 1	10987	112 123 144 154	16 17 18 20 20	22 22 23 24 25	26 27 28 30 31

COMMERCE - STANDARDS - BOULDER

# FINAL CORONAL LINE EMISSION INDICES

JANUARY 1963

								_
ant .ter)	R <sub>1</sub>	20 20 27 27	10 t x x	× × × 521 ×	16	100 100 18	15 16 12	
uadr		×11 ×15 51	× × 0 6 6	× × × × × × × ×	10 11 6 8	x 2 2 4 4 7 5 1 5 1 5 1 5 1	x 7 7 11 0 0 0 0	
North west observed 7	1 .	34 10 x 31 29	× 0 0 0 × 0	× × 5 % ×	0 % 6 % %	N 0 1 1 0 N 0 N 0 N 0 N 0 N 0 N 0 N 0 N	× 27 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	data
Nov (obse	99	15 x x 12 14	×rovon	28 17 x	9,0000	1,000	X 0 0 4 0 0 0	
nt ter)	1,1	× or × or or	× × 0 1 1 5 0 5 0 5 0 5 0 5 0 5 0 5 0 5 0 5	x x 5 2 6 x	14 17 8 13	20 20 1.3 7.7 7.7 1.6	x 172 173 113 113 113 113 113 113 113 113 113	from low weight.
Quadrant	R,	×∞× ~∞	x x x 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	× × 0 C ×	11115	12 9 12	0755 cox	computed
est 7		%∞ × √ √ √ √	22 × 20 00 00 00 00 00 00 00 00 00 00 00 00	x x 9 m x	27.7.7	10 28 24 24	×0,0 2,14	index c
Jouth W	99	12 5 5 17 24	×0°0°0°	× × ~ ~ ~ ×	ハキセクの	2 2 2 2 1 11	*0mm0+	ਸ ਰ
drant earlier)	R <sub>1</sub>	6 82 × 17	21 24 22 ×	20 19 26 24 13	15 10 14	17 17 10 ×	×111×	observed
una ays	В6	2 × 2 × 1	112 122 174 174	10 10 19 10	0 × C O ×	× 12 12 8 × 9	11 × 11 19 × 19 × 19 × 19	line obs
Las 7	_	18 45 39 28	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	); 0,27 1,28 1,1	8 × 21 × ×	4 からの X	17 32 4 11 11	yellow l
South (observed	95	12 14 16 16	18 14 22 ×	000100	V × 0 1 1 ×	X ttn t	155 x C 0	#
nt lier)	R	1 33 25 25	118 7. x x	0.0000000000000000000000000000000000000	\$ × 55 × ×	x 7 2 5 7 ×	×∞∞ × 17 0	observations
st quadrant days earlier,	R <sub>6</sub>	1 25 x 16	15 12 24 × ×	14 6 18 21 15	18 7 × × × ×	× 0 00 0 ×	55 × 12 12 12 12 12 12 12 12 12 12 12 12 12	x = no
Eas 7		39 x 17 11	728 73 × ×	12 22 64 53	57 41 74 ×	888 198 x	14 23 8 14 14	
North (observed	99	28 12 13	14 16 21 25 x	12 26 31 47	% × % % ×	8 10 11 x	11 5 × 5 0 0	
CMP	1963	しっちょう ひ	9 0 8 0 0	11 12 13 14 15	16 17 18 20	21 22 23 24 25	26 27 28 29 30 31	
								J

# FINAL CORONAL LINE EMISSION INDICES

FEBRUARY 1963

nt ter)	М	27 × × ×	14 x x x 12	x 2 0 x 0	12 51 12 11	×× 6~2 %	××c
quadrant	R6	$\omega\omega$ × × ×	10 x x 4	0 x \( \tau \) \( \text{x} \)	N4 N0 C	0 4 r x x	e× ×
sst 7	G <sub>1</sub>	14 22 6 <b>x</b>	14 t t t t t t t t t t t t t t t t t t t	18 x 6 4 14	7 8 7 1 7 1	15 20 80 80 80 80 80 80 80 80 80 80 80 80 80	17 x 14
North we	95	11 15 4 x	201 × 91 × 97 × 91 × 91	0 X 1/2 W 00	1266447	33 113 0 × x	11 x × ∞
ant ater)	.к1	∞ <b>υ</b> ×××	×××v	0 × 5 × × × × ×	22028	⊕94××	××c
quadrant	<sup>K</sup>	9 <del>4</del> × × ×	×∞××n	x 8 x x	00000	u n n x x	× × 0
st 2	27	25 23 14 87	14 12 x 17 11	3 x 4 v ∞	た20 た20 た	0 N∞ × C	ω <b>χ</b> ∞
nos	95	128 118 11 43 x 4	88 88 72 7	74 200x	M11 M2	22 x x 2	nxo
nt lier)	T.	17 25 10 x 25	2001 200 x 20	12 9 7 12	$\sim$ × × ×	12 18 10	x 10
South East quadrant served 7 days earlier)	R6	11 14 9 × 16	14 4 7 X 7	010010000000000000000000000000000000000	* * * * *	Oxnro	x 69
JE ~	$G_1$	34 18 6 17 8	11 24 5 16 8	らちょう な	12 0 11 0	2 xx 17 10 4	×nn
South (observed	95	14 7 7 14 14 14 15 15 15 15 15 15 15 15 15 15 15 15 15	14 12 12 12	$\sim \sim \times 10^{-1}$	0 0 x 0 4	U X OV OV 4	×NN
nt lier)	R <sub>1</sub>	12 19 30 x x 15	15 20 35 35	22 18 7 7	$\sim$ × × ×	19 27 20 9	, x 15
t vuadrant days earlier)	749 941	13 17 14	12 4 10 14 14	15 10 6	$\sim$ × × ×	14 x 11 9	×11
Eas 7	G <sub>1</sub>	23 18 21 46	1888 888 868 868 868	34 20 20 8 8	19 11 17 5	45 x 125 87 5	× ~ 4
North (observed	99	11 11 23 53	12 4 17 17 19 19	16 16 14 5	17 8 8 7 4 1 4	19 x 67 45	×nn
CMF	1963	10745	6 8 9 10	112 125 114	16 17 19 20	21 22 23 24 24 25	26 27 28

COMMERCE - STANDARDS - BOULDER

a = index computed from low weight data

\* = yellow line observed

x = no observations

# FINAL CORONAL LINE EMISSION INDICES

MARCH 1963

unt iter)	R	50 16 8 8	50 × × 9 +	×07 87 178	23a 10 16 16 18	× × × ×	×∞××××
uadrant	R <sub>6</sub>	35 x x x	15 x x x 12	x 0 5 7 7 7	22a 6 13 18	× 8 8 × ×	×0 ××××
est 7	G <sub>1</sub>	x 10 10 ×	45 45 62 82	57 36 31 39	11 20 20 44 48	8 72 73 8 8 8	×
North W	95	X∞ Q N X	26 × × × 5	22 13 13 14 17	200 200 200 200 200 200 200 200 200 200	62 41 24 x	× ~ × × ×
rant later)	R	52 28 10 ×	15 14 x x x 1	20 20 30 30	68a 32 65 32 11	× × × 0 × ×	×××× × × ×
, <b>u</b> ad	ж <sub>е</sub>	41 17 8 6	11 × × 9	16 10 22 24	36a 22 40 20 80	22 × × ×	×Z××××
2st	G <sub>1</sub>	17 20 8	×××××	37 8 8 6 17	208200	×× e 25 8	$\times \infty \times \times \times \times$
South we (observed	95	17 14 0	) × × 1	70000	0 M 00 00	ω0 ν××	****
nt lier)	K,	× 20 2 × 20 × 20 2 × 20 × 20 × 20 × 20 × 20 × 20 × 20 × 20 × 20 × 20 × 20 × 20 × 20 × 20 × 20	V 2 2 2 X	% ~ × × ×	78 C X X	51 ×××5 ××	10 8 28 26 26a 16
t vuadrant days earlier,	<sup>14</sup> 6	125 x x x x x x x x x x x x x x x x x x x	らうじょ X	×××55	7 × × × × × ×	1 × × 0 ×	9 15 12 19a
Sac ~	5	8 4 11 11	x 52 + 53 0x	C o x∞ x	15 x x x 4	0 x x v u	8 118 9 118
South (observed	99	NW40V	≈4 × ×	× M × M Q'	01 4 x x	r x x w v	11 807 000
er)	١,,,	x 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	010 010 × 01	×××5755	116 114 8 X X	0 × × 5 ×	10 11 24 28 28a 24
t quadrant	R.	× 7 7 11 8 8 8	X 2 2 0 C t	×××97	Sorxx	40 17 17 × ×	222 24a 20
7	<sub>2</sub>	11 20 10 4	x x x x x	121 42 × 25 17	4 2 2 X X	3 × × × ×	21,00000
North (observed	95	CUUNU	v 08 2 x	30 30 11 11 12 14	111 111 1	4,8 3,4 3,4	Cw0071
_	1963					<del></del>	

a = index computed from low weight data x = no observations \* = yellow line observed

# PROVISIONAL CORONAL LINE EMISSION INDICES

APRIL 1963

	1								_	_								-					_			_	_	_			
rant later)	RJ	×	×	×	×	×	047	×	×	: >	: ×	×	×	×	×	×	9	×	×	× -	24	23	27	×	×	2	28	54	24	54	×
Quad lays	R6	×	×	×	×	×	56	×	<b>&gt;</b>	: >	: ×	×	×	×	×	×	27	×	×	×	17	12	17	×	×	21	20	21	15	17	×
est 7	g <sub>1</sub>	×	×	×	62	×	×	×	<b>&gt;</b>	< 00	×	×	×	×	×	×	53	×	×	×	×	11	2	×	×	2	×	11	20	11	×
North W (observed	9	×	×	×	36	×	×	: ×	; >·	; \c	×	×	×	×	×	×	35	×	×	×	×	6	5	×	×		×	6	12	∞	×
t er)	R	×	×	×	×	×	56	×	· >	< >	: ×	×	×	×	×	×	94	×	×	×	44	18	23	×	×	22	26	22	24	36	×
quadrant days later)	R6	×	×	×	×	×	21	×	; >	< >	; ×	×	×	×	×	×	37	×	×	×	20	15	19	×	×	19	20	20	15	20	×
est 7	G <sub>1</sub>	×	×	×	92	×	×	: ×	· >	· -	×	×	×	×	×	×	25	×	×	×	×	$\infty$	2	×	×	9	×	14	14	17	×
South W	95	×	×	×	56	×	×	: ×	< >	7	×	×	×	×	×	×	15	×	×	×	×	2	4	×	×	7	×	10	10	11	×
t ier)	$^{\mathrm{R}_{1}}$	22	19	×	×	28	00	×	: >	< >	23	28a	32	×	×	×	×	×	×	×	20	×	×	×	×	×	×	×	×	×	18
South East Quadrant served 7 days earlier)	R6	17	13	×	×	22	17	~ ×	. >	< >	17	17a	25	×	×	×	×	×	×	×	200	×	×	×	×	×	×	×	×	×	14
Eas 7	G	31	50	11	×	14	Y	>	< >	< >	, W	×	×	×	×	×	×	×	9	×	×	×	×	2	×	×	×	×	×	×	11
South (observed	95	13	6	9	×	6	7	×	< >	< >	< ∼	×	×	×	×	×	×	×	77	×	×	×	۱×	П	×	×	×	×	×	×	9
it ier)	R	36	28	×	×	36	25	×	< >	< >	18	20a	15	×	×	×	×	×	×	×	25	×	×	×	×	×	×	×	×	×	20
st Quadrant days earlier)	R6	28	24	×	×	24	()	1 >	< >	< >	14	13a	11	×	×	×	×	×	×	×	 0	×	×	×	×	×	×	×	×	×	12
Eas 7	$^{G_1}$	2	00	20	×	109	נסנ	+ ×	< >	< >	ĭ	×	×	×	×	×	×	×	101	×	×	×	×	00	×	×	×	×	×	×	14
North (observed	9	9	2	16	×	64	54	- >	< >	< >	< 00	×	×	×	×	×	×	×	41	×	×	×	×		×	×	×	×	×	×	10
CMP	1963	-	2	2	4	5	· ·		~ 00		10	11	2	-3	- +	15	91	17	- 00	19	02	13	22	23	40	25	95	22	28	65	02

_	T. EFFECT							16	
-	H INT.								-
_	WIDTH Ha			0		0.0	0.0		_
MEASUREMENTS	AREA Sq Deg	1.60	2.50		1 • 30	. 20	. 50	 8 0 4 0	
MFAC	AREA Sq Deg.	1.00	1.50		1.10	. 30	. 50		-
TIME	10	1246				1420		1910 2110 2157	
COND.		2.2	N		C)	1 2	2 2	2226	mm
ž g	TANCE	1 1 1		1 1		1 1	† †	1 1 1 1	- 1
DURA.	MINUTES		9	27 D					131 D
MCMATH	PLAGE		6756	6754		6756		6759 6759 6759	6763
APPROX	LAT MER DIST	PATROL PATROL PATROL PATROL N15 E61 N15 E59 PATROL PATROL	PATROL N13 E51 PATROL PATROL PATROL	PATROL SO7 W26 SO7 W27 PATROL PATROL	PATROL SO5 W28 PATROL	PATROL N17 E20 N15 E36 PATROL PATROL PATROL	PATROL SO1 E25 SO6 W43 PATROL PATROL	PATROL N15 E23 N15 E22 N15 E22 N14 E20	PATROL NO1 WO8 N15 E16
	MAX	NO FLARE NO FLARE NO FLARE 1246 NO FLARE 1854 NO FLARE NO FLARE	NO FLARE NO FLARE NO FLARE NO FLARE	NO FLARE NO FLARE NO FLARE NO FLARE	FLARE	NO FLARE 1420 2140 NO FLARE NO FLARE NO FLARE	NO FLARE	FLARE 10 57	NO FLARE
OBSERVED UNIVERSAL TIME	END	0700 0730 0925 1130 1210 1257 1909 2400	0605 0901 1045 1110 1225 1245	0635 0755 0813 D 0934 D 1005		0530 1430 2155 D 2210 2245 2340 2400	0652 0726 0840 0850	0	0610 0911 D 0953 D
	START	0000 0725 0745 00955 11155 1240 1845 2310	00000 0855 E 1040 1120 1230	0005 0750 0758 E 0907 E 0925 11010	1135 1218 E 1325	00005 1419 2133 2205 2220 2320	00000 0647 0724 0835 0845	2900 0935 1902 2105 2339	0000 0700 0851 E
DATE	APR 1963	000000000	000000	0000000	0000	444444	000000	000000	90
	OBSERVATORY	OTTAWA	ATHENES	WENDEL	ATHENES	МСМАТН МСМАТН	ATHENES ATHENES	MCMATH MCMATH MCMATH SAC PEAK	BUCHAREST → BUCHAREST

MOULDER PROVISIONAL IONOSPHERIC STANDARDS 20 91 16 MAX. COMMERCE 2.20 2.30 2 • 60 MAX. WIDTH Ha 1.30 .10 .14 2.20 1.30 1,30 00°+ 1.80 MEASUREMENTS CORR. AREA Sq. Deg. 2.10 010 1.00 • 14 09. MEAS. AREA Sq. Deq. 0730 0952 1212 1217 1219 1405 1006 1322 1323 1514 1541 1602 1813 0704 1634 2023 2200 1300 1505 TIME OBS. 7282 - 0 513 2222222222222222 LANCE 1 1 1 PO Ä ۵ DURA. 39 44 54 10 6759 6766 9919 6759 6766 6766 6766 4919 6766 6766 McMATH 9919 PLAGE N14 E17 N03 W08 PATROL N13 E16 PATROL N15 E12 N02 W18 N02 W08 N01 E46 N12 W03 N12 W07 PATROL N11 E04 PATROL N14 W13 S22 E90 S06 E90 S12 E81 S11 E81 S12 E85 S12 E85 S12 E85 N10 W16 S09 E73 S08 E72 S08 E72 S09 E72 S09 E70 S09 E70 S10 E68 S08 E69 S08 E69 S08 E69 S08 E69 S08 E68 S08 E68 S08 E68 S08 E68 S08 E68 S08 E72 S10 E68 S08 E68 S08 E72 S09 E72 S10 E68 S08 E68 S08 E68 S08 E67 MER. PATROL PATROL PATROL PATROL PATROL PATROL PATROL PATROL APPROX. LAT. 1322 1323 1514 1602 1602 1635 U 1705 NO FLARE NO FLARE NO FLARE NO FLARE NO FLARE 1922 NO FLARE NO FLARE FLARE FLARE FLARE FLARE 1945 1950 2023 MAX. 0704 1212 1514 1221 ON. 0 9 0 OBSERVED UNIVERSAL TIME 0000 00 ۵ ۵ 00 0916 1011 1105 1052 1105 11215 1400 1510 1954 2035 1045 1935 1950 2218 0530 0709 0840 1245 11457 11520 11609 2400 0535 0651 0736 1004 1217 1231 1226 1228 1240 1333 1333 1522 1652 1633 1712 1712 1730 0530 END ш ш  $\square$   $\square$   $\square$   $\square$   $\square$   $\square$   $\square$   $\square$ ш START 0904 1006 1030 1045 1120 1210 1320 1400 1916 1940 2149 0703 0820 1145 1256 1446 1500 1504 1544 2020 2245 0650 0730 0946 1209 1209 1216 1217 1218 1320 1512 1558 1629 1700 1700 1944 00000 1006 0000 0000 DATE PR 96 07 07 07 07 07 ONDRE JOV ATHENES SALTS JOBADN CAPRI - S SALTSJOBADN OTTAWA MCMATH LOCKHEED SAC PEAK MCMATH WENDEL SAC PEAK ONDREJOV MCMATH ONDREJOV MCMATH SAC PEAK OBSERVATORY CAPRI-S ATHENES CAPRI-S MCMATH WENDEL WENDEL MCMATH MCMATH MCMATH OTTAWA MCMATH MCMATH VENDEL WENDEL MCMATH MCMATH 1  $\square$  $\square$  $\square$ 

IONAL	HERIC	tos										
PROVISIONAL	IONOSPHERIC	EFFECT										
	MAX	LZ.			16				10			16
	MAX	WIDTH Ha										
MEASUREMENTS	CORR.	AREA Sq Deg		9 • 50		• 70		8 9	1.10	• 70	4.70	. 31
	MEAS.	AREA Sq. Dog.		4.50		• 50		• 76	1.32	0.6.	4.60	1.70
	TIME	U.T.		0753	1235 1737 2124			1300	2336		1146	0630
OBS				ммм	N 1 0 1 1	m	m	2 2	NM	e,	N 60	п п п п
Ė	POR.	TANCE		2 2 1 2		+		1 1	1 1	i	+	1 1 1
DURA.		MINUTES		90 0							42	21 D
	McMATH	PLAGE		6759 6759 6759	6759 6766 6763 6763		6429	6429			6766	6759
LOCATION	PRO-	LAT. MER. DIST.	PATROL PATROL PATROL PATROL PATROL	PATROL NIS W35 SIO E61 NIS W40 NI6 W35	N16 W35 S08 E54 N03 W66 N02 W65 N02 W41 PATROL PATROL	PATROL N18 W48 PATROL DATROL	PATROL N17 W45 PATROL	PATROL NII W44	N14 W53 N16 W57 PATROL	PATROL N16 W65 PATROL	PATROL S12 E31 S08 E34 PATROL PATROL	PATROL NO9 W78 NO9 W78 SO9 E17 N12 W79
		MAX. PHASE	NO FLARE NO FLARE NO FLARE NO FLARE	NO FLARE 0753 0952	235 737 737 724 FLARE FLARE	NO FLARE NO FLARE	NO FLARE	1300 1300 1300	2336 2334 NO FLARE	NO FLARE NO FLARE	NO FLARE 1146 NO FLARE NO FLARE	NO FLARE 0630 0722 1445
OBSERVED	UNIVERSAL TIME	END	1845 2010 2035 2055 2400	0545 0900 0742 0830 0918		2400 0435 0735 0750	0930	1235	1940 2345 2400	0630	1105 1223 1502 2025 2400	0600 0708 D 0742 D 1449 1501
	100	START	1840 1905 2030 2040 2145	00 73 74 74	1016 E 1233 1733 1735 2021 2100 2115	37 0 0 7 4	93	200	3337	000	0945 1100 1141 1500 E 2010	0000 0630 0721 1443 1454
DATE		APR 1963	66666	00700	00000000	0	1111	1111	11111	12	12 12 12 12 12 12 12 12 12	1113
	OBSERVATORY			ISTANBUL   BUCHAREST   CAPRI-S   BUCHAREST	BUCHAREST MCMATH SAC PEAK MCMATH MCMATH	ATHENES	BUCHAREST	C OTTAWA MCMATH	LOCKHEED SAC PEAK	ATHENES	OTTAWA ATHENES	CAPRI-S CAPRI-S SAC PEAK SAC PEAK

PHOVISIONAL	IONOSPHERIC	EFFECT									S - SWF		,		S - SWF									
	MAX		10	17	16							16		28			17	α		18	17			
	MAX	WID1H Ha		2.40													06.00							
MEASUREMENTS	CORR	Sq. Deg.		.20	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		. 60	2.00	68.	1 • 50														
	MEAS.	Sq. Deg.	. 20	222	0000	_	. 50	2 • 00	• ·	1.50	5.00	.29	1.10	7.69	11.90	3.00	0.50	.30	1.20	0 4 0	• 29	•20	30.	
	TIME	UT	2005	1435	1546			0755	0925	1046	1128	7	1424		1620	1619	1791	1728	1740	000	0	1825	2209	
OBS.			2 2	N 60 H 6	7 2 6 1		יט ת	m (	n m	m	2	7 60	2 8	) M	m N	-10	7 60	2 6	2	m 0	1 60	2 5	2 1	
Ė	POR-	TANCE	1 1 1		1 1 1 1		1 1	П,	1 -	1-2	12			2	2+		1-	1 1	1-1	1 -			- 1	
DURA.	NOIL	MINUTES						56 D	7	r.	38 0	_		9	34	10 D								
	McMATH	REGION		6766	6766			6766	0	6766	6766	90/0	9929	9929	6766	6766	00/0	9929	6766	4744		6766	6766	
LOCATION	H -	LAT. MER DIST.	S10 E10 N19 W90 PATROL PATROL PATROL PATROL	PATROL S11 E05 S10 E05 S10 E07	S12 E04 S12 E04 S10 E04 S11 E04	PATROL PATROL PATROL PATROL	PATROL S20 W11 S11 W06					S12 W07						S15 W08						PATROL
		MAX. PHASE	2005 2023 NO FLARE NO FLARE NO FLARE NO FLARE	ш	Ш	шшшш	NO FLARE	0420		1048	130	410 0	424	618	1620	619	721	- 0 7/2	1740	809	827	825	600	NO FLARE
OBSERVED	UNIVERSAL 11ME	END	2008 2030 2030 2115 2115 2245 2460	600 535 526 540 D	1548 1557 1610 D 1607 D 2120	155 245 310 400	0515 0651 0805		0943 D			1415	1450	1713	1648	1626 D	1726	1746	1753	1815	1835	1835	2228	2400
		START	2003 2020 2025 2105 2125 2135 2255		1545 1545 1600 1601 2005	2140 2225 2255 2345	0000	747	0925 E	046	125		1417	1613	1614	1616 E	718	1726	1739	1805	1821	1822	2202	2350
DATE		APR 1963	113888	1 t t t t t t t t t t t t t t t t t t t	1 4 4 4	1 t t t 1 t t 1 t t t t t t t t t t t t	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15
	OBSERVATORY		ГОСКНЕЕD		C SAC PEAK MCMATH SAC PEAK MCMATH		ATHENES T ATHENES	- CAPRI-S	L ARCETRI ARCETRI	CAPRI-S T WENDEL	CAPRI-S	SAC PEAK	MCMATH L SAC DEAK	SAC PEAK	H OTTAWA	- CAPRI-S	T SAC PEAK	MCMATH CAC DEAK	MCMATH	C SAC PEAK	T SAC PEAK	MCMATH MCMATH	MCMATH	

PROVISIONAL	IONOSPHERIC EFFECT		E. S. S. J.	
	INT	16 21 20 20 10	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	MAX WIDTH	2 • 90	2 * 1 0 3 * 1 0	
MEASUREMENTS	CORR AREA Sa Dea	3.00 3.00 3.00 3.00 3.00 1.26 1.26 1.26 1.26 1.26	1	1.40
	MEAS. AREA Sa Dea.	2.00 2.00 1.26 1.26 1.26 1.26	1.39 1.94 1.94 1.94 1.80 1.80 1.20 1.20 1.40 2.62	1.00
-	IIME	0915 1343 1655 1654 2122 2244	0932 0932 1417 1523 1524 1903 1903	0910 1138 1202
OBS.		w ишишии и	U	0.8 0.0
Ä	POR-			111 11
DURA.	NOI!	25	21 22 22 20 11 11 23	
	PLAGE	6766	6766 6766 6766 6766 6766 6766 6766	6766
LOCATION	LAT. MER.	PATROL 511 W16 515 W17 510 W16 515 W17 516 W18 514 W22 511 W22 511 W22 511 W22 511 W22 511 W22 516 W26 516 W26 516 W26 516 W26 516 W26 517 W26 517 W26 517 W26 518 W26 519 W26 510 W26	PATROL NIG WZ1 S15 W30 S15 W30 S15 W30 S10 W40 S10 W40 S10 W35 S11 W35 S12 W37 S12 W37 S12 W37 S12 W37 S12 W37 S12 W37 S12 W37 S12 W37 S15 W35 S15 W35 S15 W35 S16 W35	PATROL 508 W47 512 W43 511 W46 PATROL 511 W44
	MAX	A R C E	NO FLARE NO FLARE 1309 1413 1522 1522 1522 1923 1903 1903 1905 1905 1905 1905	NO FLARE 0909 NO FLARE 1138
OBSERVED	END	0555 0747 D 0755 0750 0853 D 0805 D 0905 D 1402 D 1402 D 1708 D 1708 D 2126 U 2252 2400	0600 0620 0620 0702 0702 0939 0939 0939 1328 1328 1328 1532 1532 1533 1533 1633 1633 1633 1633 1633 1633	0500 0920 0920 0916 1035 1158
	START	0000 0740 E 0742 E 0854 E 0854 E 0854 1343 E 1418 1640 1643 1651 E 2116 2140 2241	0000 0655 E 0655 E 0930 0932 1120 1120 1120 1120 1120 1120 1120 11	0000 0905 E 0909 E 0914 E 1025 1136 E
DATE	APR	100 100 100 100 100 100 100 100 100 100	7, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7	1188
•	OBSERVATORY	WENDEL WENDEL WENDEL WENDEL WENDEL WENDEL WENDEL CAPRI-S SAC PEAK CAPRI-S SAC PEAK COTTAWA HUANCAYO LOCKHEED	ATHENES WENDEL ONDSREJOV ARCETPI SAC PEAK CAPRI-S SAC PEAK CAPRI-S HUANCAYO WENDEL SAC PEAK CAPRI-S CAPRI-S SAC PEAK CAPRI-S CAPRI-S SAC PEAK MCMATH COCKHEED SAC PEAK SAC PEAK SAC PEAK	ISTANBUL CAPRI-S ATHENES MCMATH

PROVISIONAL	IONOSPHERIC	EFFECT																												D 10	SECTION OF THE																		
Max	MAA		16		7 (						17																	16	1	16	17		16									17	4		17	4	16		16
MAX	MAA	На			-																										0000	٧.											00.	•					
MEASONEMEN S	ABEA	Sq Deg	• 78	• 70	0 0 0	4 1	2 • 70	040	9.00		• 68	1.20	4			040	ο α	700	0 2 0	•								• 41	1.05	1.03	4.77	•	1.01				2 • 23	•	•			7	0.6	•	555	1	• 52	.70	• 93
MFAC	MEAS.	Sq Deg.	• 56	040	9/0	• 30	1 • 90	900	• 20		.56	66.	*30			30	0 4	0 4	0 0	•								• 29	• 64 •	2 07	0000	0	• 56				1 • 06	0		00	000	•	1 000	0 0	. 2 .	17	•21	• 20	• 41
TIME	TMI	T n		1355	- 1	υ, υ,	3	1633	Ţ			1841	84								•										2121	5				1	0754	α V		1214	1429	1477	ď	4 0 0	1			1941	
COND.			m ·	7	in l	7 (	2	~ ,	<b>→</b>		m	-	٦			2	10	10	10	J								m ·	ጠ	7 (	7 0	7	2	l		(	M (	7			7 0	7 %	) -	4 0	ı rr	١	m	1	3
<u>Σ</u> ς	POR.	TANCE	1-		<u> </u>	i ,	<b>_</b>		ļ.,	<u></u>	1-	1	1-					1 -										-		1 -		+	1			,	٦,	<u> </u>	<del></del>		7 -	1 -	-			-		1-	
DURA.		MINUTES				,	9																							1.7	C 7 7	t				(	180	(	a R	7 7	D		α						
MEMBER	McMAIR	REGION		6767		6766	6766	6766	1919				9929																	7727	00100						99/9	,	0 0 0	4746	0		6766	)				6766	
APPROX.	APPROA.	LAT. MER DIST	S20 W54	21	60	0,1	51	S16 W50	5 1	13	14	14	14	PATROL	100TA0	00 CC C	10 NO	000	NOO FSO	1001		7 A - R O - C - C - C - C - C - C - C - C - C -	PA-ROL	PATROL	PATROL	PATROL	PATROL	S14 W59	SIO W66	S10 W65	510 W66	PATROL	S10 W70	ATROL	PATROL	FA ROL	512 W6/	S12 W6/	SIZ WIL	515 M72	010 W 610	012 170	C12 W74	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	010 M85	PATROI	S11 W85	S14 W76	S15 W77
	2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	MAX	1355	1355	1432	1551	1551	1633	1 / 1 3	1 / 26	1841	1841	_	NO FLARE	- Lu							T A A P A B A B A B A B A B A B A B A B A						1438	1458	1,18	7001	NO FLARE		NO FLARE	NO FLARE				A LA CA	1215	717	507	1507	-		ARF	1806		2325
UNIVERSAL TIME	THE PARTY OF THE P	END	1405	1410 D	1438	1613	1555	1636	1740	1740	1844	1846	1847	2400	0	00	0790	0655	1 1	~ C	) (	U 1	L P	25	20	30	00	00 1	- 1	2 6		2100	20	00		0.0	0812 D	n (	2	<i>C</i>	1426	) a	, (	1513	1	- 0	0	1947 D	0.0
		START	1350	3	43	54	54	91	7	7	83	83	83	20	0000	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0646 F	α α α α α α α α α α α α α α α α α α α	0745 F	100	0000	0965	1005	1020	1115	1130	1255	1428	1453	1717	1800	2050	2249	2340	0000	127	0 7 54 E	820	700	200	1429 F	7 7 7	207	1508	707	1715	1803	1940 E	323
DATE	0	APR 1963	18	100	20 0	0 0	Ω (	0 0	18	00	18	18	18	1 8	0	0	0	0	0	0 0	7 6	7 -	51	10	19	19	19	13	61	5 0	10	19	19	19	20	) (	200	200	200	200	200	200	20	20	20	20	20	20	20
	OBSERVATORY		- SAC PEAK	MCMA		- 2		MCMAT	MCMATH	MCMATH	- SAC PEAK					ATHFNES	ATHENES	ATHENES	ATHENES									AC F	AC	NAC PEAK			SAC PEAK			1	AKCELKI	7 L L Z L L Z L L L L L L L L L L L L L	D N D E	CAPRILS	CAPRILS	- AAT DEAK	CYACNATH		SAC PEAK		SAC PEAK	CMAT	SAC PEAK

## SOLAR FLARES

DATE		OBSERVED		OT	ATION		DURA.	Ä	OBS.			MEASUREMENTS			PROVISIONAL
	START	END END	MAX. PHASE	LAT. M	ER.	McMATH PLAGE REGION	TION	POR.		TIME U T	MEAS. AREA Sq. Dog.	CORR. AREA Sq. Dog.	MAX. WIDTH Ha	MAX.	IONOSPHERIC EFFECT
0 7	0000 2340	0515	NO FLARE	PATROL	77										
0000111110	000 615 705 000 030 040 040	0600 0635 0700 0710 1015 1045 1640 2400	NO FLARE NO FLARE NO FLARE NO FLARE NO FLARE NO FLARE NO FLARE	PATROL PATROL PATROL PATROL PATROL PATROL PATROL PATROL PATROL											
001111100	320 320 320 330 330 330	0505 0600 11235 11300 1325 2400	NO FLARE	PATROL PATROL PATROL PATROL PATROL PATROL PATROL PATROL PATROL PATROL	77777777										
000000000000000000000000000000000000000	0000 6056 624 9900 015 030	0605 0640 0639 0905 2005 2040 2400	NO FLARE NO FLARE NO FLARE NO FLARE NO FLARE	PATROL \$25 w74 \$33 w43 PATROL PATROL PATROL PATROL PATROL	274 274 274 274 201 201 201				2 2		O O O O O O O O O O O O O O O O O O O	1.80			
	9890 9800 9900 9900 9900 9900 9900 9900	0830 09840 09840 09935 09955 11010 11010 11010 11010 2400 2400	UNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNN	PATROL											
26 0	0000	0610	NO FLARE	PATROL	7										

### SOLAR FLARES

APRIL 1963

⋖	4		
NEDERHORST den BERGH, NETHERLANDS KRASNAYA PAKHRA, USSR SACRAMENTO PRAK N MFX 11SA	STOCKHOLM, SWEDEN SCHAUINSLAND, GFR	TASHKENT, USSR WENDELSTEIN, GFR	
NERA NIZMIR SAC PEAK	SALTSJÖBADEN SCHAUINS	TACHKENT	
HAWAII, USA KYOTO, JAPAN KIEV GAO, USSR KTEV INIVERSITY IISSR	LOS ANGELES, CALIF., USA MCMATH-HULBERT	PONTIAC, MICH., USA MOSCOW-GAISH, USSR	NEW SCHAUIN FREIBURG, GFR
HONOLULU IKOMASAN KIEV KO KIEV KO	LOCKHEED MCMATH	MOSCOU	NEW SCHAUI
ATHENS, GREECE PIRCULI, USSR ROYAL OBSERVATORY,	CAPRI, ITALY (GERMAN) CAPRI, ITALY (SWEDISH)	SIMEIZ, USSR ROYAL GREENWICH OBSERVATORY,	HERSTMONCEUX, ENGLAND HAUTE-PROVENCE
A THENES BAKOU CAPETOWN	CAPRI F	CR IMÉE HERS TMONCEU	HTR-PROVEN

ALL VALUES IN THE MAXIMUM INTENSITY COLUMN FOR SAC PEAK ARE ARBITRARY UNITS (0-40) AND FOR LOCKHEED ARE ARBITRARY UNITS (10-40), NOT PERCENT OF CONTINUOUS SPECTRUM.

SEE DESCRIPTIVE TEXT PUBLISHED NOVEMBER 1961 FOR DEFINITION OF CORRECTED AREA VALUES LISTED FOR CLIMAX, HAWAII, LOCKHEED AND SACRAMENTO PEAK.


□ = NOT REPORTED,

E = LESS THAN D = GREATER THAN U = APPROXIMATE

COMMERCE . STANDARDS - BOULDER

Recently the WDC-A for Solar Activity received corrected data for the flare reports from Tachkent, U.S.S.R., for May, June, July and September 1961 and for January, February and March 1962. These corrections have been made on the punch cards and printouts are available on request. Note:

APRIL 1963



Stations Include:

Arcetri Bucharest Athenes Capri-S (Swedish) Huancayo Istanbul McMath-Hulbert Ondrejov Ottawa Sacramento Peak

## SOLAR FLARES

Takotationar	IONOSPHERIC	EFFECT									- Rolli DER
, dr	MAX ION					100					PAULIDE - BOILD DER
	MAX. WIDTH	На							-		
MEASUREMENTS	CORR	Sq. Deg.	1 • 60								
ME	MEAS	Sq Dog.	000			1 . 65		• 70			
	TIME	T D	0736			0030		0749			
OBS.	COND.										
IM.	POR.		1 1 1								
•	TION	MINUTES						23			
z	McMATH	REGION	6663								
LOCATION	APPROX.	DIST	PATROL S 01 E 59 N 00 E 55 N ATROL PATROL PATROL PATROL	PATROL PATROL PATROL	P P P P P P P P P P P P P P P P P P P	505 PATROL PATROL PATROL PATROL PATROL	PATROL PATROL PATROL	SO6 E78 PATROL PATROL	PATROL PATROL PATROL PATROL	PATROL PATROL PATROL PATROL	PATROL
	MAX.	PHASE	NO FLARE 0736 NO FLARE NO FLARE NO FLARE	NO FLARE NO FLARE NO FLARE	NNO FLARE NNO FLARE NNO FLARE NNO FLARE NNO FLARE	NO FLARE NO FLARE NO FLARE NO FLARE NO FLARE	NO FLARE NO FLARE NO FLARE	0749 NO FLARE NO FLARE	NO FLARE NO FLARE NO FLARE NO FLARE	NO FLARE NO FLARE NO FLARE	
OBSERVED	UNIVERSAL TIME		0645 0645 0742 1100 11420 2005 2400	0005 0015 1435 2400	00005 0350 0900 1350 1410 1430 1655	0043 0335 0425 0435 0515 1215		0809 1515 1545	0400 0915 1045 1515 2400	0005 0120 0215 0240	
	START		0600 0620 0734 1052 1405 1935 2000	0000 0010 1415 2320	00000 0325 0410 1205 1400 1445 1510	0030 0325 0340 0440 1125	0240	0746 1330 1535	0305 0500 1040 1225 2310	000000000000000000000000000000000000000	0435
DATE	JAN	1963	000000000000000000000000000000000000000	02 02 02 02	000000000000000000000000000000000000000	00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	00 02	90	07 07 07 07 07	80000	80
	OBSERVATORY		CAPE TOWN HTE-PROVEN			IKOMASAN		CAPETOWN			

## SOLAR FLARES JANUARY 1963

PROVISIONAL.	IONOSPHERIC	EFFECT																_																													030 1100
PRC	MAX ION																											20			(	0									0 0						ON HOW
	MAX.	WIDTH																																													
MEASUREMENTS	CORR	AREA Sq Deg.																										• 70			C Li	•						3.40			00.1						
M	MEAS	AREA Sq. Deg																										040			C	•						1.20		(	000						
	TIME	TO															1111	1										2024			0000	2002						1357		1	2159						
OBS.	COND.																^	1 ~	ı									. 7				4								r	7						
IM.	POR.	TANCE									_				, ,	4 ~	1 1		-		1-											-													†		
DITE	TION	MINUTES	l L																																			1 0									
N	McMATH	PLAGE								_																												6673									
LOCATION	APPROX	LAT. MER DIST	PATROL	PATROL	PATROL	PATROL	PATROL	PATROL	PATROL		PATKOL CONTROL		DATAOL DATEOL		N13 F70	N12 F70	NIO	N12 F85	N13 E70	N14	N13	PATE	PATROL	PATROL	PATROL	PATROL	PATROL	NO9 E65	PATROL		PATROL	0 0 0	PATROL	PATROL	PATROI					A A	N12 E60	PATE	PATROI	PATROL	N11 E45	N11 E45	PATROL
		MAX. PHASE	NO FLARE	NO FLARE		NO FLARE		NO FLARE	NO FLARE		NO FLAKE		NO TENENT			-	1113	ł			1332	NO FLARE	2024 E	NO FLARE	NO FLARE	NO FLAKE	TO SET ON	NO FLARE	NO FLARE	NO FLACE	NO FLARE	NO FLARE	L C	NO FLAKE	NO FLAKE	2159	NO FLARE		NO FLARE			NO FLARE					
OBSERVED	UNIVERSAL TIME	END	0640	0750	1415	1445	2220	2235	2400		0000	0400	0000		7000		1113 D		0041	1234 D				1800	2025	2035		$\supset$					2335	2400	0005	0000	0050	1357 D	1635		2210	2330	0010	0050	1154	1251	1615
		START	23	73	4 1	1440	21	23	34	(	2 5	1 .	0 0	V 0	1 2	1 0	] [	1 5	12	23	31	42	53	54	0.1	03	0.5	0.5	12	23	250	) (	2325	35	0000	04	11	35	, C	9 (	1 / 28 2 1 5 5	30	0005	31	15	124/	5
DATE	14.4	1963	60	60	60	60	60	60	60		2 5	2 0	2 6	2 0	3 -	2 0	2 0	10	10	10	10	10	10	10	10	10	10	010	0 1	10	20	9 0	10	10	7	11	11	11	1 7	11	11	13	12	12	12	12	12
•	OBSERVATORY	10000												MANOGOLATI	HTE-DROVEN	TITE DOOR		H ()()		L HTE-PROVEN	HTE-PROVEN							LOCKHEED			2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2							CAPETOWN			LOCKHEED				HTE-PROVEN	HIE-PROVEN	

## SOLAR FLARES JANUARY 1963

PROVISIONAL	IONOSPHERIC													
	INT	10 20 20 20	10	0.1	8 4			200 500 100 100 100 100 100 100 100 100 1			20	20		
	WIDTH													
00000	AREA Sq Deg.	8 00 0	. 80	. 20	2.30			1			• 20	. 20		
0.000	AREA Sq. Deg.	.20	. 80	• 20	2.09			000000			. 20	. 50		
Trees.	II T		1600	2256	0517			1710 1743 1942 2251 2352 2357			1813	1254 2251 2328		
COND.			П	1	2	6	е	<i>~~~~~~</i>			2 2	822		
	TANCE	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1	1 1 1		+	1 - 1		1	1	1 1	1 1 1		
TION.	MINUTES				23 D	10	25							
1000	PLAGE				6673	6673	6673							
Approx	MER. DIST.	2000	PATROL NO5 E37 NO7 E34	PATROL PATROL NO8 E21 NO8 E21 N11 E11				2333 E E E O O O O O O O O O O O O O O O O O	TROL	NO5 KOR PATROL	0 W11	4 W19 W29 W22	T R O L	
	MAX. LAT.	1627 NO FLARE PATI 1850 NO FLARE PATI 2350 NO 2342 NO 8	NO FLARE PA NO 1600 U NO	NO FLARE PA NO FLARE PA 1124 NO 2256 NI	517	0845 N N N N N N N N N N N N N N N N N N N	222	1710 N13 1743 N13 1942 N13 2251 N13 2352 N12	NO FLARE PATE	FLAKE FLARE	1813 NG 2314 NI	1254 N14 2251 N05 2328 N14	NO FLARE PATI NO FLARE PATI NO FLARE PATI	i i
IINIVERSAL TIME	END	1638 1725 1800 1901 2357 2357	0450 1315 1626	0305 0350 1029 1127 2306	0533	0913 1247 1245 1247	1323	1734 1755 2002 2304 2357 0007	956	1155 1219 D 1235	1832	1306 2305 2341	1500 1650 2335 2350	(
	START	1620 1700 1755 1846 2326 2326	0400 1308 1600 E	0300 0310 1012 1123 2252	510 E 807 E	839 227 235 239	3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	1700 E 1739 1928 2248 2346 2352	0925	1030 1155 1220	1807	1250 2248 2321	1455 1600 2325 2345	(
	JAN 1963	122 122 122 122 122 122 122 122 122 122	133	14 14 14 14	15	15	21.5	152 152 152 153 153 153 153 153 153 153 153 153 153	16	16 16	16	17	18 18 18	(
	OBSERVATORY	LOCKHEED LOCKHEED LOCKHEED	HTE-PROVEN LOCKHEED	HTE-PROVEN HTE-PROVEN LOCKHEED	TACHKENT HTE-PROVEN	HTE-PROVEN HTE-PROVEN LOCARNO HTE-PROVEN	HIE-PROVEN LOCARNO HIF-PROVEN	LOCKHEED LOCKHEED LOCKHEED LOCKHEED LOCKHEED LOCKHEED	HTE-PROVEN	HTE-PROVEN	LOCKHEED	UCCLE LOCKHEED LOCKHEED		

## SOLAR FLARES JANUARY 1963

IONAL	HERIC	cor										
PROVISIONAL	IONOSPHERIC	EFFECT										
	MAX	TNT .	10	(	10							
	MAX	WIDTH Ha										
MEASUREMENTS	CORR	AREA Sq Deg	09.	, c	2002						1.20 2.30 2.30 2.30 3.80	
	MEAS	AREA Sq Deg	O (s)	1 + 00	.10						100000000000000000000000000000000000000	
	TIME	T O	2012	0751	2035						0631 1010 1306 1400	1119
OBS.	COND		ref	(	7 27 7						N	m m m m
Ξ.	POR.	TANCE	1		1 + 1			1			1 1 1 1 N	1 1 1 1
DURA	NOI	MINUTES		16							7 5 5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
				73			_				0000	
NO	M.MATH	PLAGE		6673							08888	
LOCATION	APPROX.	LAT. MER DIST	PATROL PATROL PATROL PATROL PATROL NOT W56	PATROL NO7 W74	ж ПП 0 40	PATROL	PATROL	N04 E63	PATROL PATROL PATROL	PATROL PATROL PATROL	P P P P P P P P P P P P P P P P P P P	PATROL PATROL PATROL N13 W73 N13 W74 N13 W74
		MAX LA	NO FLARE PO 12 ARE	NO FLARE P.		NO FLARE P.	NO FLARE P.	Z	NO FLARE PO NO FLA	NO FLARE PONO FLARE PONO FLARE	NO FLARE NO FLARE NO FLARE NO FLARE NO FLARE	NO FLARE POND FLARE PO
OBSERVED	UNIVERSAL TIME	END	0200 15465 15465 1545 1630 2655	1530	2304	0330	1405	1225 D	0150 2050 2250 2340	0130 2245 2400	02005 06555 06645 1035 11415 1500 2325 2345	0540 0555 0605 1122 1220 1253
		START	0150 1435 1450 1510 1610 2006	1510	03	0325	1350 2245	1217 E	0145 2025 2245 2315	0120 2240 2300	00000 0545 0630 E 1303 E 1320 E 1450 E 1455 2245	0530 0545 0600 1112 1202 1237
DATE	N	1963	19 19 19 19 19	20		25	26	27	288	29	000000000	333333
	OBSERVATORY		LOCKHEED	CAPETOWN	LOCKHEED			HTE-PROVEN			CAPETOWN CAPETOWN CAPETOWN TAPETOWN LOCARNO	UCCLE UCCLE UCCLE

### SOLAR FLARES

### JANUARY 1963

TANOISTVOAG	TUNIOR TOTAL				
	MAX	INT.	°		
	MAX	WIDTH	Ha		
MEASUREMENTS	CORR.	AREA	Sq. Deg.		
Σ	MEAS.	AREA	Sq. Deg.		
	TIME		T O		
OBS.	COND.				1
Σ̈́	POR.	TANCE			
DURA.	NOIT	1	MINUTES		
Z	McMATH	PLAGE	REGION		
LOCATION	APPROX.	LAT. MER.	DIST	N13 W74	PATROL
		MAX			NO FLARE P
OBSERVED	UNIVERSAL TIME	END		1412	
		START		1357	2235
DATE	V V	31	31		
	OBSERVATORY	UCCLE			

These flare reports are addenda to the January 1963 flares published in GRPL-F 222B for February 1963.


ATHENS, GRECE	ORY, MOSCOU MOSCOM-GAISH, USSR M
ATHENES BAKOU CAPETOWN CAPETOWN CAPRI F CAPRI S CRIMÉE HERSTMONCEU	ROYAL GREENWICH OB HERSTMONCEUX, EN

ALL VALUES IN THE MAXIMUM INTENSITY COLUMN FOR SAC PEAK ARE ARBITRARY UNITS (0-40) AND FOR LOCKHEED ARE ARBITRARY UNITS (10-40), NOT PERCENT OF CONTINUOUS SPECTRUM.

SEE DESCRIPTIVE TEXT PUBLISHED NOVEWBER 1961 FOR DEFINITION OF CORRECTED AREA VALUES LISTED FOR CLIMAX, HAWAII, LOCKHEED AND SACRAMENTO PEAR.

E = LESS THAN D = GREATER THAN U = APPROXIMATE [] = NOT REPORTED.

### JANUARY 1963



Stations Include:

Abastumani Arcetri Athenes Bakou Capetown

Capri -F (German) Capri -S (Swedish) Climax Crimee

Haute-Provence

Honolulu Huancayo Ikomasan Kiev KO Kodaikanal Lockheed McMath-Hulbert Meudon Mitaka Nizamiah Nizmir Ottawa Sacramento Peak Ta¢hkent Uccle

### IONOSPHERIC EFFECTS OF SOLAR FLARES

### SHORT WAVE RADIO FADEOUTS SUDDEN COSMIC NOISE ABSORPTION SUDDEN ENHANCEMENTS OF ATMOSPHERICS SUDDEN PHASE ANOMALIES SOLAR NOISE BURSTS AT 18 Mc

### MARCH 1963

MARCH UNIVERSAL TIME	SWF					WIDE		KNOWN				
1963	START	END	MAX	TYPE	ABS	SCNA	SEA	SPA	BUR	SPREAD INDEX	STATIONS	FLARE
20	2151	2153							1	5	мс во на	2150

### SOLAR RADIO EMISSION OUTSTANDING OCCURRENCES

APRIL 1963

ARO-OTTAWA

2800 Mc.

APRIL	ТҮРЕ	START UT	DURATION	N	AXIMUM		REMARKS
1963			HRS MIN	TIME UT	PE AK FLUX	MEAN FLUX	
11	3 Simple 3	2040	40	2052	2	1	
12	3 Simple 3 A 1 Simple 1 f	1141 1143.8	27. 4.		3 6	1.5 3.5	
15	- Record	ь1110	>1 50	1138	7	-	
	Incomplete A 2 Simple 2 f 2 Simple 2	1123 1144.5	9 13.	1124.5 1150	220 12	40 6.5	
15	3 Simple 3 A 1 Simple 1	1357 1418	2 03	1448 1418.3	3 2	2 1	
15	3 Simple 3 f	16 15	1 35	1617	7	3.7	
15	1 Simple 1	2202.3	0.	8 2202.5	3.5	2	
16	3 Simple 3 A 2 Simple 2 f 2 Simple 2 f	1637 1642.5 1649	33 3 3	Indet. 1644 1649.3	2 11 22	1 3 7	
17	3 Simple 3	1308	17	1310	2	1	
17	3 Simple 3	1410	25	1412	4	2	
17	l Simple l	1832	0.	3 1832.2	2	1	
17	2 Simple 2 4 Post Increase	1902	3 1 10	1903.1	21 2	9	
19 19 19	3 Simple 3 3 Simple 3 f 2 Simple 2 f 4 Post Increase	1135 1443 1755	11 37 11. 45.	5	2 2 92 6	1 1 14 3	
19	3 Simple 3	2 143	>1 32	Indet.	4*		
28	3 Simple 3	1139	28	1148	2	1	
29	1 Simple 1	2216	7	2221	2	1	
30	3 Simple 3 A 2 Simple 2 f	1137 1142.2	35 7.	1152 1145	3 8	1.5 4	
30	2 Simple 1	1416	2	1417	2	1	

<sup>\*</sup>Maximum flux observed during this period.

### SOLAR RADIO EMISSION INTERFEROMETRIC OBSERVATIONS

APRIL 1963

### **BOEING-SEATTLE**

221 Mc.

Apr. 1963	Туре	Starting time	Time of max.	Dura- tion	Flux density $10-22_{wm}-2(c/s)-1$		
		UT	UT	minutes	peak mean		
6	ef	2336.1	2336.1	0.2	40 10.5		
9	es	0042.3	0042.3	0.5	25 7.5		
10	ec	1949.7	1949.8	0.8	28 8.0		
14	es	0054.2	0054.2	0.2	25 7.5		
16	С	1643.0	1643.7	1.5	25 7.5		
16	EC	1649.0	1649.2	3	1860 250		
17	es	2113.2	2113.2	0.3	640 98		

COMMERCE - STANGARDS - BOULDER

Normal observing period: 1600-0100 UT.

### SOLAR RADIO EMISSION

### **OUTSTANDING OCCURRENCES**

APRIL 1963

BOULDER

108 Mc.

April 1963	Туре	Start UT	Time of Maximum UT	Duration Minutes	Intensity
12	7	1401	1430	90	2
12	7	1727	1825	153	2
16	3	1643.0	1643.8	1.8	3
16	8	1648	~1650	11.0	3
17	3	1819.4	1820.0	1.7	3
17	3	1830.5	1832.8	2.5	3
18	6	1223E	_	298D	2
18	8	1839.2	~1840	2.5	3
19	8	1426.5	1428.0	5.0	2
19	8	1432.0	1436.5	5.5	3
20	3	2322.5	2323.0	1.7	2

### NOMINAL TIMES OF OBSERVATION OUTSTANDING OCCURRENCES

APRIL 1963

BOULDER

108 Mc.


April 1963	U.T.			April 1963	U.T.		
1	1250-0109			17	1225-0104		
2	1248-0110	I	1808-2004	18	1223-0124		
			2026 - 2039	19	1300-0125	I	2343-2349
			2101-2116	20	1220-1715		
3	1246 - 2115				2045-0126		
	2235-0111			21	12 19 - 15 05		
4	1245-0112				1650-1714		
5 6	1243-2303				1730-1912		
6	1242-0113				1919-1950		
7	1240-1728				1954-2130		
	1807-0114			22	1907-0128		
8	1239-0115	ł		23	1216-0129		
9	1237-0116	I	0043-0116	24	1215-2228		
10	1235-0117			25	2200-0131		
11	1234-0117			26	1212-0132	İ	
12	1232-0118			27	1211-0132		
13	1231-2145			28	1209-0133		
	2340-0119			29	1208-0134		
14	1229-0120			30	1207-0135		
15	1228-2015						
16	1226 - 1915						
	2005-0122						


## SOLAR NOISE BURSTS APRIL 1963


BOULDER

108 Mc.









## SOLAR RADIO EMISSION SPECTRUM OBSERVATIONS

Fort Davis

JANUARY — FEBRUARY 1963

50-320 Mc.

1061	OBSERVING HOURS	IMPORTANT BURSTS			FREQUENCY	REMARKS
1963	OBSERVING HOURS	TYPE	TIMES U. T	INT	RANGE	NEMANAS
Jan. 1	1415-2350					
Jan. 2	1415-2350					
Jan. 3	1415-2350					
Jan. 4	1415-2350					
Jan. 5	1415-2350					
Jan. 6	1415-2350					
Jan. 7	1415-2355			}		
Jan. 8	1415-2355					
Jan. 9	1415-2355					
Jan.10	1415-2355					4.0
Jan.11	1415-2355					
Jan. 12	1415-2355					
Jan. 13	1415-2355					
Jan. 14	1415-2355					
Jan. 15	1415-2355	IIIG	1619-1622	1-2	320-100	
1		1116	1019-1022	1-2	320-100	
Jan. 16	1415-2355					
Jan.17	1415-2355					
Jan. 18	1415-2355					
Jan.19	1415-2355					l.
Jan.20	1415-2400			i		
Jan.21	1415-2400					
Jan.22	1415-2400					
Jan.23	1415-2400					
Jan.24	1415-2400					
Jan.25	1400-2400					
Jan.26	1400-2400					
Jan.27 Jan.28	1400-2400					Weak I throughout day
Jan.29	1400-2400					near 1 caroagnost say
Jan.30	1400-2400	I	1409-1640	1	200-<50	
Jan.31	1400-2400	1	1403-1040		200 50	Weak I during day
Feb. 1	1400-2400					Turing out
Feb. 2	1400-2400					
Feb. 3	1400-2400					
		ļ				
Feb. 4	1400-2400					
Feb. 6	1400-2330				:	
Feb. 7	1400-2330					
Feb. 8	1400-2400	IIIG	2339-2340	2	240-<50	
Feb. 9	1400-2400	1110	2557 2540		243 50	
Feb. 10	1400-2400					
Feb. 11	1400-2400					
Feb. 12	1400-2400					
Feb. 13	1400-2400					
Feb.14	1400-2400					
Feb.15	1400-2400					
Feb. 16	1400-2400					
Feb. 17	1400-2400					
Feb. 18	1400-2400					Weak I during day
Feb.19	1400-2400					
, CD . 17	1-00-2400		1			COMMERCE - STANDARDS - BOULDER

## SOLAR RADIO EMISSION SPECTRUM OBSERVATIONS

FEBRUARY — MARCH 1963

## Fort Davis

50-320 Mc.

1963			IMPORTANT BURSTS			
1903 wexases	OBSERVING HOURS	TYPE	TIMES U. T	INT	FREQUENCY RANGE MG	REMARKS .
Feb.20	1400-2400					
Feb.21	1400-2400					
Feb.22	1345-2400					
Feb.23	1345-2400					
Feb.24	1345-2400					
Feb.25	1345-2400					
Feb.26	1345-2400					
Feb.27	1345-2400					
Feb.28	1345-2400					
Mar. 1	1400-2400					
Mar. 2	1400-2400					
Mar. 3	1400-2400	II	2350.0-2353	1	140-<50	
Mar. 4	1526-2400					
Mar. 5	1330-2330					
Mar. 6	1330-2330		1			
Mar. 7	1330-2330					
Mar. 8	1330-2330					
Mar. 9	1330-2330					
Mar.10	1330-2330					
Mar.11	1330-2330					
Mar.12	1330-2330					
Mar.13	1330-2330					
Mar.14	1330-2330			1		
Mar.15	1330-2330					
Mar.16	1330-2330					
Mar.17	1330-2330					
Mar.18	1330-2330					
Mar.19	1330-2330					
Mar.20	1330-2330	IIIG	2 15 1-2 152	2	220-<50	
Mar.21 Mar.22	1330-2330 1330-2330					
Mar.23	1330-2330					
Mar.24	1330-2330					
Mar.25	1330-2330					
Mar.26	1330-2330					
Mar.25	1330-2330					
Mar.28	1330-2330					
Mar.29	1330-2330					
Mar.30	1330-2330					
Mar.31	1330-2249					
	2330-2330					COMMERCE - STANDARDS - BOULDER

## SOLAR RADIO EMISSION SPECTRUM OBSERVATIONS

APRIL 1963

## HAO BOULDER

7.6 - 41 Mc.

Date		Bursts			Date		Bursts		
1963	Туре	Time (U.T.)	Inten- sity	Frequency Range (mc)	1963	Туре	Time (U.T.)	Inten- sity	Frequency Range (mc)
1 Apr	III	2147.45-2148.15	1 1-	32 <b>-</b> 41 20 <b>-</b> 41	11	III	1608-1608.30	1-	19-41
3 4	III No Observ.	2253.45=2254 2100=2157	1-	20=41		111	1615.15-1618	2	7-41
5	III	2146.45-2147.30	1	16-41		III	1641.30-1643.45	2	19-41
2	III	2147.45-2148	1-	27-37	1	III	1645.30-1646	1-	21-36
	111	21//4// 21/0	_			III	1656.15-1656.45	1-	21-31
	III	2149.30-2150	1-	21-36		III	1657.30-1658	1-	23-38
6		d 1912.45 <b>-1</b> 913.45	1-	7-35					
	III	2123.45-2125	1	7-41		III	1703.15-1703.45	1	20-28
7	IIl	1726-1726.30	1-	24-40		III	1707.30-1708	1-	24-41
	III	1739.15-1739.30	1-	24-35		III	1711-1712-15	1-	30-41
			_			III	1728.30-1730	1	18-41
	III	1740.30-1741.15	1-	19-35		III	1735 • 15 – 1737	1+	7-41
	III	1800.30-1801	1 1+	19-41 7-41			1905 2375	١,	22 12
	III	1807-1808 1816.30-1819	1-	22-41		continuum III	1805-2135 1838.15-1839	1-	21-41
	III	1820-1821.15	1+	7-41		III	2032.15-2033.15	1 1	21-41 11-41
	111	1020-1021.1)		/		III	2329.15-2329.45	1-	21-41
	111	1821.30-1822	1	7-41	12	continuum	1725-1900	1-	24-41
	111	1843-1844.30	1-	7-41		Continuum	1727-1900	1-	24=41
	iii	1844.45-1846	1+	7-41	12 Apr	III	1734.30-1735	1	21-41
	III	1846-1846.15	1	16-41	12 Apr	III	1739.15-1739.30	1	22-41
	III	1847-1848	1+	7-41		III	2011.15-2011.30	1-	22-36
						III	2037.30-2038	1	21-41
	IlI	1849.45-1850.30	1-	22-41		III	2457.30-2458	1-	20-41
	III	1924.45-1925	1-	20-41		111	2197100 2190	_	
	III	1938.45-1939.15	1	12-41	13	continuum	<b>61542-</b> a2459	1-	20-41
	III	2113-2113.15 -	1	16-41		III	1635.45-1636.45	1+	20-41
	III	2228 <b>.</b> 45 <b>-</b> 2229	1-	21-39		III	1659.30-1702.45	1+	7-41
	continuum'	2306-a2450	1-	22-41	14	continuum	b1527-a2500	1+	18-41
8	continuum	b1507-a2450 _	1-	20-41		III	1731.15-1732.45	1+	7-41
0	111	2240.45-2241.30	ī	11-41					
	III	2241.30-2243	ī	11-41	3.5	III	1743-1744.45	1+	7-41
	III	2442.30-2444.15	1	20-41	15	No Observ.	1619-1638	1-	19-41
						continuum III	b1638-a2500 1720.15-1721.45	1+	8-41
9	continuum	1930-2105	1-	25-41	16	continuum	b1529-a2520	1+	19-41
	III	1942.15-1943	1-	22-41	10	Concinaam	01)27-42)20		-,
	III	2100.45-2101	1-	22-41		III	1641.30-1645.30	2+	7-41
	III	2144-2144.30	1-	22-41		III	1648-1653.30	2+	7-41
	III	2158.45-2159	1	21-41		IA	1703-1755	1	18-41
	777	2401.15-2402	1	22-41	17	continuum	b1440-a2520	1-	16-41
10	III	1842.45=1843	1-	31-41		III	1539.45-1541.30	1+	7-41
10	III	1933-1934.45	1+	7-41			3(35.3(35.15	,	0.43
	III	1949.30-1951	1+	7-41		III	1615-1617.45	1+	7-41 7-41
	III	2047.45-2048.15	1-	23-36		III	1819.15-1821.15 1831.45-1833.15	1+ 1+	7-41 7-41
						III	1834.45-1835.15	1+	7-41
	III	2122.45-2123.45	1+	16-41		III	2053-2054	1+	7-41
	III	2222.15-2222.45	1	16-41		111	LOJJ LOJ -		,
	III	2237.15-2237.30	1-	22-34		III	2240.45-2242.15	1+	7-41
	III	2239-2239.15	1-	22-34		III	2247.30-2248.45	1+	7-41
	III	2239.45-2240.30	1+	12-41	18	continuum	b1337-a2500	1-	19-41
	TTT	2252 15. 2252 70	1-	20-41		III	1641.15-1645.30	2	7-41
	III	2252.15-2252.30 2306.30-2307	1-	21-41		III	1735.30-1736.30	1+	7-41
	III	2323-2323.30	1-	22-38				,	g. 15
	III	2329.15-2332	1-	21-41		III	1753.15-1754.30	1+	7-41
	III	2335-2336.45	ī	13-41		III	1839.15-1842.15	1+	7-41 7-41
						III	1918.30-1920	1+ 1+	7-41 7-41
	III	2346-2346.45	1	16-41	19	III continuum	2301.15=2304.30 b1507.30=a2500	1+	22-41
	III	2404-2404.45	1-	21-41	19	COLICELLUIN	01)07.0 N-ac)00		· · · I
	III	2407.45-2408.15		20-41		III	1522-1523	1-	16-35
	III	2445.15-2445.45	1-	19-35		III	1532.45-1533.30	1-	22 <b>-36</b>
						r -			

## SOLAR RADIO EMISSION SPECTRUM OBSERVATIONS

APRIL 1963

## HAO BOULDER


7.6 - 41 Mc.

Date		Bursts		Date					
1963	Туре		Inten- sity	Frequency Range (mc)	1963	Type	Time (U.T.)	Inter- sity,	Frequency Range (mc)
20	III III III III III III III III III II	1538.45-1539.15 1710.45-1712 1720-1721 1722.45-1723.15 1857.15-1859.15 1904-1905.45 1924.15-1925 2341.15-2351.15 1603.15-1604.15 1605.45-1606.15 1605.45-1606.15 1625.15-1625.45 1653.15-1653.45 1702.30-1703.45 1736-1736.15 1816.45-1819.45 1905-2020 2048.15-2049	1 1- 1+ 1+ 1- 2+ 1 1- 1	21-35 7-41 7-41 21-41 7-41 7-41 12-41 16-41 12-41 7-41 12-41 7-41 9-41 22-41 16-41	21 24 25 28 29 30	III III III III III III III III III II	2109.30-2109.45 2127.15-2127.30 2215.45-2216 2322.15-2325.15 2342.15-2342.45 2437.45-2438 2005.15-2029 2030-2118 2321.15-2322 2329-2329.45 1720.15-1721.15 1957.45-1958 2315.30-2316 1507-1553 1727-1853 2236-2242	1- 1- 1+ 1- 1- 1- 1- 1-	16-41 22-41 21-38 16-41 23-41 23-41 23-41 23-41 16-41 21-41 13-41 22-41 21-41

COMMERCE - STANDARDS - BOULDER


c = many faint Type III's not reported


d = harmonic structure



**APRIL 1963** 


## STANFORD








Stanford, 1963 Apr 03, 20-21 hrs UT;



90 on-10-10-10-10 08






APRIL 1963


STANFORD

9.1 cm



1963 APRIL 07

# SOLAR RADIO EMISSION SPECTROHELIOGRAMS




## SOLAR RADIO EMISSION SPECTROHELIOGRAMS

APRIL 1963

STANFORD

9.1 cı




The control of the co


9.1 cm SPECTROHELIOGRAM Stanford, 1967 Apr 24, 20-21 ars UT;


Stanford, 1963 Apr 23, 20-21 hrs UT;


9.1 cm SPECTROHELIOGRAM Stanford, 1963 Apr 22, 20-21 hrs UT;

STANFORD









 $\int N$   $_{J-1}$  cm. SPECTROHELIOGRAN. Stanford, 1907. Apr.2°, 20-21 hrs UT,

OGRAN

## COSMIC RAY INDICES

## (Climax Neutron Monitor) IGC Station B 305


MARCH 1963

Mar. 1963	Daily average counts/hr *	Mar. 1963	Daily average counts/hr *
1 2 3 4 5 6 7 8 9 10 11 12	3201.1 3183.3 3190.6 3196.3 3190.6 3200.5 3200.3 3198.2 3167.8 3178.5 3145.2	16 17 18 19 20 21 22 23 24 25 26 27	3167.8 3166.6 3173.4 3171.8 3174.3 3165.2 3174.9 3165.9 3165.9 3159.9 3167.2 3175.5 3188.0
13 14 15	3135.9 3133.0 3156.5	28 29 30 31	3194.6 3196.8 3196.2 3208.8

COMMERCE - STANDARDS - BOULDER


\*Scaling Factor 128

COSMIC RAY INDICES
(Pressure Corrected Hourly Totals)



## GEOMAGNETIC ACTIVITY INDICES MARCH 1963

Mar. 1963	C	Values Kp Three hour Gr. interval 1 2 3 4 5 6 7 8	Sum	Ар	Finsl Selected Days
1 2 3 4 5	0.8 0.2 0.6 0.0	2+ 40 40 2+ 20 4- 2+ 3- 20 20 2- 2+ 20 1+ 1+ 1- 1- 2- 3+ 20 2+ 1+ 1+ 2+ 10 1- 10 10 1- 10 10 1- 00 10 10 1- 10 00 1+ 1+	23+ 13+ 150 7- 6+	15 6 8 4 3	Five Quiet 14 16 22 26
6 7 8 9 10	0.2 0.9 1.4 1.1	10 20 1- 0+ 1- 20 20 2- 1- 20 0+ 00 00 0+ 2+ 50 40 3+ 5- 5+ 4+ 40 4+ 3+ 30 4+ 3+ 30 30 3- 2+ 4+ 3+ 40 4+ 40 50 6+ 60 5-	10+ 11- 33+ 260 38-	5 9 31 18 48	27
11 12 13 14 15	1.1 0.6 0.6 0.0	5- 4- 2+ 3- 3- 3+ 4+ 30 4- 3+ 2+ 3- 3- 2+ 2+ 1- 00 0+ 2- 2- 4- 3+ 20 1+ 2- 00 00 0+ 0+ 00 0+ 10 1+ 2- 0+ 0+ 00 0+ 1- 00	27- 200 140 4- 5-	20 12 8 2 2	Five Disturbed 1 8 9
16 17 18 19 20	0.0 0.5 0.6 0.6	00 00 1- 0+ 00 0+ 0+ 1- 0+ 00 00 0+ 1- 1+ 20 24 1- 2- 2- 1+ 20 20 10 2- 2- 30 2- 10 10 2- 2- 3- 10 10 1- 1- 0+ 0+ 2- 3-	2+ 70 120 14+ 8+	2 4 6 7 4	11
21 22 23 24 25	0.1 0.1 0.8 0.2 0.1	1+ 2- 20 0+ 0+ 0+ 0+ 00 00 00 00 1- 1- 10 1- 1- 2- 2- 2- 40 4- 3- 1+ 1+ 10 0+ 00 2- 2- 2- 1+ 20 2- 0+ 0+ 1- 0+ 10 10 1-	6+ 4- 180 10- 60	3 2 11 4 3	Ten Quiet 4 5 14
26 27 28 29 30 31	0.1 0.0 0.2 0.2 0.1 0.4	00 00 00 0+ 1- 1- 2- 0+ 00 00 0+ 0+ 00 00 0+ 1- 00 00 0+ 1+ 2- 10 1- 2- 2- 20 20 10 2- 20 1- 1- 10 1- 0+ 1- 1+ 0+ 00 10 1- 00 1- 10 10 0+ 1- 2+	4- 2- 8+ 110 50 70	2 1 4 5 3 4	15 16 22 25 26 27 30
Mean:	0.44		Mean:	8	



CRPL RADIO PROPAGATION QUALITY FIGURES AND FORECASTS

MARCH 1963


GEOMAGNETIC N SI	. 0 AY (2)	00 0 1 1 0	1 2 2 3 (+)	00000	02444	00110	00440	٦		
GEOM	HALF	60044	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	m m H O O	17700	01707	00444	0		
ADVANCE FORECASTS (Jp REPORTS) FOR WHOLE DAY, ISSUED IN ADVANCE BY	1-3 4-7 5 DAYS DAYS 5 SOW Jp	00000	00044	4 4 0 0 0	00000	00000	00000	9		
ADVANCE (Jp REPOR WHOLE DA IN ADV	DAYS ORYS FINAL JPS	00000	0 W W 4 4	44000	00000	00000	00000	9	9 13 3	000
WHOLE DAY	INDEX	10101	21000	00000	99927	r r r r 0	~~~~	7	:	
SHORT-TERM FORECASTS ISSUEO AT	0081 01	9 2 7 7	rr994	0		11011	~~~~	7		
	0090	9999	00000	44000	00000	01000	00000	9	21 21 8	000
NORTH PACIFIC 12-HOURLY QUALITY FIGURES	1900 T0 0700	~~~~	~ ~ ~ ~ ~ ~	00000	~~~~	~~~~	~ ~ ~ ~ ~ ~	7	15 14 1	000
NORTH 12-F QUALIT	0700 T0	00000	2000	00000	1000	00000	10110	9		
									i	
GEOMAGNETIC KFR	(2)	11222	1 2 (4 )	m N m H O	12121	1 2 2 1 1	1 7 5 0 1	-		
GEOMA	HALF	1 2 2 3	1 (4)	(4) 3 1 1	11700	1 1 2 0 1	12100	7		
AQUANCE FORECASTS () REPORTS)FOR WHOLE DAY, ISSUED IN AQUANCE BY	1-3 1-7 DAYS OAYS SOW J	00000	00044	4 4 \u211 \u211 \u211	00000	00000	00000	9	20 7 0 0	9 1 0
ADVANCE () REP( WHOLE D	(-7 1-7 DAYS DAYS FINAL JS	00000	00044	4 4 10 10 10	00000	00000	00000	9	20 7	e ⊢ c
WHOLE	INDEX	0 0 0 0 0	60 50 50 5- (4+)	( + + ) ( + + ) ( + + ) 5 - 5 +	6 50	50 50 60 60	1 1 9 9 9	-9		
CASTS NE OF	9	50000	NONNN	00000	00000	00000	00000	9	25 6 0	000
SHORT-TERM FORECASTS ISSUED ABOUT ONE HOUR IN ADVANCE OF	- 2	00000	00000	00000	00000	00000	91991	7	22 9	000
SSUED UR IN A	90	4 10 10 10 10	00011	m m m 4 4	vvv44	w 4 w w w	$\omega$ $\omega$ $\omega$ $\omega$	5	91 40 0	r 4 c
045	8	00000	20074	4 4 4 10 10	00000	~ ~ ~ ~ ~	00000	9	11100	7 1 0
	9 10 24 24	1 9 9 9 9 9 9 9 9 9	5 2 4 + 1 5	50000	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	+ + + 0 +	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	09	e s D F	S
NORTH ATLANTIC 6-HOURLY QUALITY FIGURES	5 0 8	+ + 0 0 + + 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 + 1 1 +	6 + 6 + 6 + 6 + 6 + 6 + 6 + 6 + 6 + 6 +	4 + + + 1 - 1	7-		
H ATL HOURL	06 12	0000000	60 50 4 1 4	4 + 1 + + + + + + + + + + + + + + + + +	0 0 4 4 0	4 4 W W W U U U U U U U U U U U U U U U	$\begin{smallmatrix} \mathcal{U} & \mathcal{U} & \mathcal{U} & \mathcal{U} & \mathcal{U} \\ \circ & I & \circ & \circ & \circ \\ \end{smallmatrix}$	5-	opo	
NOR' 6 QUALI	00 10	50 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	50 0 0	4 # # 4 # # # # # # # # # # # # # # # #	6-1	000000000000000000000000000000000000000	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	5+	t Period	riods
		,							Quiet	d Pe
MARCH 1963		01 03 04 05	06 07 08 09 10	11 12 13 14	16 17 18 19 20	21 22 23 24 25	26 27 28 29 30	31	Score:	Disturbed Periods


### MARCH 1963

- Short-term forecast

| Range of reports

Quality figure








COMMERCE - STANDARDS

BOULDER

MARCH 1963







## INTERNATIONAL URSIGRAM AND WORLD DAYS SERVICE

### APRIL 1963

Issued April 1963 Day/Time U.T.	Advance Geophysical Alert	No.	World-Wide Geophysical Alert	Special World Intervals
15/1745	McMath, Solar Flare, One Plus 15/1618Z			
18/0117	Climax, Solar Flare, One Plus 17/1908Z			
19/1910	Sac Peak, Solar Flare, One Plus 19/1800Z			



